




THE INFORMATION CONTAINED HEREON IS PROPRIETARY AND CONFIDENTIAL TO DYNACOM CORPORATION. AND SHALL NOT BE USED OR DISCLOSED, IN WHOLE OR IN PART WITHOUT FIRST OBTAINING THE WRITTEN PERMISSION OF DYNACOM CORPORATION.

| ZONE | REF | DESCRIPTION | DATE | APPV. |
|------|-----|-----------------|----------|-------|
| - | A | INITIAL RELEASE | 07/16/07 | E.A. |

NOTES:

1. MATERIAL: P.C.
2. PART TO BE FREE OF BURRS, SUCKS & SCRATCHES.
3. DRAFT ANGLE: 1° MAX.
4. ALL UNSPECIFIED CORNER, EDGE, OR FILLET BREAKS ARE TO BE 0.50mm MAXIMUM.

| ITEM | DESCRIPTION | QTY | P/N |
|------|--------------------------|-----|--------|
| 1 | 48 PR BASE | 1 | LP1340 |
| 2 | 24 PR INSERT | 2 | LP1019 |
| 3 | INDEX HOLDER | 2 | 110PH |
| 4 | 110-CAT6 CONNECTING CLIP | 24 | 610C-4 |



e-mail.....info@dynacomcorp.com
 1366 San Mateo Ave Suite 201
 South San Francisco CA 94080

TOLS: -

| | | |
|----------------------------------|----------------------|--------------------|
| NEXT ASSY: - | DRAWN: E.A. 01/15/08 | CHECKED: Pete Bach |
| TITLE: 48 Pair Cat6 Wiring Block | DWG. NO. 610WB-48 | REV. A |